Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5968	29/602.1,604,605,606.ccls.	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:05
S2	1856	336/176,200,229.ccls.	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:05
S3	2060	156/89.11,89.12,250.ccls.	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:06
S4	1709	438/238,381,788,792.ccls.	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:11
S5	444	257/531.ccls.	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:12
S6	2326	open with inductor	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:12
S7	22	S1 and S6	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:12
S8	13	S7 and (laminat$3 or stack$3)	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:28
S9	4	S8 and @ad<"19990226"	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:29
S10	3	("3319206" | "4959631").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 08:19
S11	45	("4959631").URPN.	USPAT	OR	ON	2004/12/21 08:20
S12	24	("5801521").URPN.	USPAT	OR	ON	2004/12/21 08:25
S13	15	("3765082" | "3785046" | "3812442" | "4543553" | "4689594" | "5032815" | "5122227" | "5227659" | "5302932" | "5349743" | "5643804" | "5656101" | "5801521" | "6429632" | "6566731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 08:26
S14	9	("4636930" | "4999761" | "5396527" | "5400235" | "5485365" | "5680300" | "5736842" | "5751561" | "5966298").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/21 08:28
S15	295	S6 and (laminat$3 or stack$3)	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:29

S17	25	S2 and S15	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:29
S18	15	S17 and @ad<"19990226"	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:31
S19	3	S15 and S4	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:30
S20	183	S15 and @ad<"19990226"	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:33
S21	5664	(magnetic adj (layer or material)) same (insulat$3 adj (layer or material))	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:32
S22	1237	(magnetic adj (layer or material)) same (insulat$3 adj (layer or material)) same (laminat$3 or stack$3)	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:32
S23	7	S20 and S22	USPAT; JPO; DERWENT	OR	ON	2004/12/21 08:32
S24	4	S15 and @ad<"19990226"	JPO	OR	ON	2004/12/21 08:35
S25	0	S3 and S15	JPO	OR	ON	2004/12/21 08:35
S26	0	S5 and S15	JPO	OR	ON	2004/12/21 08:35

Help   FAQ   Terms   IEEE Peer Review |Quick Links   ▼| » Se.

Welcome to IEEE *Xplore*

○– Home
○– What Can
   I Access?
○– Log-out

Tables of Contents

○– Journals
   & Magazines
○– Conference
   Proceedings
○– Standards

Search

○– By Author
○– Basic
○– Advanced
○– CrossRef

Member Services

○– Join IEEE
○– Establish IEEE
   Web Account
○– Access the
   IEEE Member
   Digital Library

IEEE Enterprise

○– Access the
   IEEE Enterprise
   File Cabinet

Your search matched **2** of **1117582** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enterii new one in the text box.

| inductor <and> open <and> pattern   · | | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

───

1 **Modeling radiation with an efficient hybrid finite-element integral-equation waveguide mode-matching technique**
Zuffada, C.; Cwik, T.; Jamnejad, V.;
Antennas and Propagation, IEEE Transactions on , Volume: 45 , Issue: 1 , Jan 1997
Pages:34 - 39

[Abstract]   [PDF Full-Text (168 KB)]   IEEE JNL

───

2 **Modelling of the coupling structure of a HTS DC SQUID amplifier**
Saury, L.; Gunther, C.; Dubuc, C.;
Applied Superconductivity, IEEE Transactions on , Volume: 9 , Issue: 1 , Marc 1999
Pages:50 - 57

[Abstract]   [PDF Full-Text (340 KB)]   IEEE JNL

───

🖶 Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top